

Reference List Book „Compression Therapy of the Extremities“ by Partsch, Rabe, Stemmer - 2000

Chapter 1 - Introduction

Chapter 2 – Historical Overview

Chapter 3 – Anatomy

Chapter 4 – Venous Return

Chapter 5 – The Basis of Compression

Clement, D. L. Management of venous edema: insights from an international task force. *Angiology* 2000; 51: 13 - 17. References/Own: 22/1; Type of Publication: Overview; Language of Abstract: eng.

Kahn, S. R., Solymoss, S., Lamping, D.L., Abenhaim, L. Long-term outcomes after deep vein thrombosis: postphlebotic syndrome and quality of life. *J. Gen. Intern. Med.* 2000; 15: 425 - 429. References/Own: 37/0; Type of Publication: Overview; Language of Abstract: eng.

Partsch, H. Compression Therapy: When, how, where, why? / Kompressionstherapie: Wann, wie, wo, warum? *Orthopädie Technik* 2001; 5: 360 - 363. References/Own: 1/1; Type of Publication: Overview; Language of Abstract: ger/eng/fre.

Chapter 6 – Mobilisation

Chapter 7 – Compression Using Mechanical Devices

Cahan, M. A., Hanna, D.J., Wiley, L.A., Cox, D.K., Killewich, L.A. External pneumatic compression and fibrinolysis in abdominal surgery. *J. Vasc. Surg.* 2000; 32: 537 - 543. References/Own: 36/0; Type of Publication: experimental; Language of Abstract: eng.

Delis, K. T., Labropoulos, N., Nicolaides, A.N., Glenville, B., Stansby, G. Effect of intermittent pneumatic foot compression on popliteal artery haemodynamics. *Eur. J. Vasc. Endovasc. Surg.* 2000; 19: 270 - 277. References/Own: 37/0; Type of Publication: experimental; Language of Abstract: eng.

Delis, K. T., Azizi, Z.A., Stevens, R.J., Wolfe, J.H., Nicolaides, A.N. Optimum intermittent pneumatic compression stimulus for lower-limb venous emptying. *Eur. J. Vasc. Endovasc. Surg.* 2000; 19: 261 - 269. References/Own: 38/0; Type of Publication: experimental; Language of Abstract: eng.

Delis, K. T., Slimani, G., Hafez, H.M., Nicolaides, A.N. Enhancing venous outflow in the lower limb with intermittent pneumatic compression. A comparative haemodynamic analysis on the effect of foot vs. calf vs. foot and calf compression. *Eur. J. Vasc. Endovasc. Surg.* 2000; 19: 250 - 260. References/Own: 36/10; Type of Publication: experimental; Language of Abstract: eng.

Delis, K. T., Nicolaides, A.N., Wolfe, J.H., Stansby, G. Improving walking ability and ankle brachial pressure indices in symptomatic peripheral vascular disease with intermittent pneumatic foot compression: a

prospective controlled study with one-year follow-up.
J. Vasc. Surg. 2000; 31: 650 - 661. References/Own: 65/3;
Type of Publication: experimental; Language of Abstract: eng.

Delis, K. T., Nicolaides, A.N., Labropoulos, N., Stansby, G. The acute effects of intermittent pneumatic foot versus calf versus simultaneous foot and calf compression on popliteal artery hemodynamics: a comparative study.
J. Vasc. Surg. 2000; 32: 284 - 292. References/Own: 24/2;
Type of Publication: experimental; Language of Abstract: eng.

Fleming, P., Fitzgerald, P., Devitt, A., Rice, J., Murray, P. The effect of the position of the limb on venous impulse foot pumps.
J. Bone Joint Surg. Br. 2000; 82: 433 - 434. References/Own: 8/0;
Type of Publication: experimental; Language of Abstract: eng.

Iwama, H., Suzuki, M., Hojo, M., Kaneda, M., Akutsu, I. Intermittent pneumatic compression on the calf improves peripheral circulation of the leg.
J. Crit Care 2000; 15: 18 - 21. References/Own: 21/2;
Type of Publication: experimental; Language of Abstract: eng.

Porter, J. M. Pneumatic limb compression: a free lunch?
J. Vasc. Surg. 2000; 31: 821 - 822. References/Own: 1/1;
Type of Publication: Opinion; Language of Abstract: eng.

Rowland, J. Intermittent pump versus compression bandages in the treatment of venous leg ulcers. Aust. N. Z. J. Surg. 2000; 70: 110 - 113. References/Own: 10/0;
Type of Publication: experimental; Language of Abstract: eng.

Siddiqui, A. U., Buchman, T.G., Hotchkiss, R.S. Pulmonary embolism as a consequence of applying sequential compression device on legs in a patient asymptomatic of deep vein thrombosis.
Anesthesiology 2000; 92: 880 - 882. References/Own: 6/0;
Type of Publication: Case report ; Language of Abstract: eng.

van Bemmelen, P. S., Weiss-Olmanni, J., Ricotta, J.J. Rapid intermittent compression increases skin circulation in chronically ischemic legs with infra-popliteal arterial obstruction.
Vasa 2000; 29: 47 - 52. References/Own: 26/2;
Type of Publication: experimental; Language of Abstract: eng/ger.

Westrich, G. H., Specht, L.M., Sharrock, N.E., Sculco, T.P., Salvati, E.A., Pellicci, P.M., Trombley, J.F., Peterson, M. Pneumatic compression hemodynamics in total hip arthroplasty.
Clin. Orthop. 2000; 150: 180 - 191. References/Own: 73/1;
Type of Publication: experimental; Language of Abstract: eng.

Chapter 8 – Bandages

Badger, C. M., Peacock, J.L., Mortimer, P.S. A randomized, controlled, parallel-group clinical trial comparing multilayer bandaging followed by hosiery versus hosiery alone in the treatment of patients with lymphedema of the limb.
Cancer 2000; 88: 2832 - 2837. References/Own: 21/1;
Type of Publication: experimental; Language of Abstract: eng.

Hafner, J., Luthi, W., Hanssle, H., Kammerlander, G., Burg, G. Instruction of compression therapy by means of interface pressure measurement.
Dermatol. Surg. 2000; 26: 481 - 486. References/Own: 4/0;
Type of Publication: experimental; Language of Abstract: eng.

Hafner, J., Botonakis, I., Burg, G. A comparison of multilayer bandage systems during rest, exercise, and over 2 days of wear time.

Arch. Dermatol. 2000; 136: 857 - 863. References/Own: 26/0;

Type of Publication: experimental; Language of Abstract: eng.

Wong, C. K., Edelstein, J.E. Unna and elastic postoperative dressings: comparison of their effects on function of adults with amputation and vascular disease.

Arch. Phys. Med. Rehabil. 2000; 81: 1191 - 1198. References/Own: 53/0;

Type of Publication: experimental; Language of Abstract: eng.

Chapter 9 – Compression Stockings

Badger, C. M., Peacock, J.L., Mortimer, P.S. A randomized, controlled, parallel-group clinical trial comparing multilayer bandaging followed by hosiery versus hosiery alone in the treatment of patients with lymphedema of the limb.

Cancer 2000; 88: 2832 - 2837. References/Own: 21/1;

Type of Publication: experimental; Language of Abstract: eng.

Best, A. J., Williams, S., Crozier, A., Bhatt, R., Gregg, P.J., Hui, A.C. Graded compression stockings in elective orthopaedic surgery. An assessment of the in vivo performance of commercially available stockings in patients having hip and knee arthroplasty.

J. Bone Joint Surg. Br. 2000; 82: 116 - 118. References/Own: 17/0;

Type of Publication: experimental; Language of Abstract: eng.

van Geest, A. J., Veraart, J.C., Nelemans, P., Neumann, H.A. The effect of medical elastic compression stockings with different slope values on edema. Measurements underneath three different types of stockings.

Dermatol. Surg. 2000; 26: 244 - 247. References/Own: 14/6;

Type of Publication: experimental; Language of Abstract: eng.

Chapter 10 – Compression and Mobilization Strategies

Agnelli, G., Sonaglia, F. Prevention of venous thromboembolism.

Thromb. Res. 2000; 97: V49 - V62. References/Own: 89/2;

Type of Publication: Overview; Language of Abstract: eng.

Bello, M., Naik, J., Scriven, M.J., Hartshorne, T., London, N.J. The clinical management and outcome of venous ulcers in legs with deep-venous obstruction.

Eur. J. Vasc. Endovasc. Surg. 2000; 19: 62 - 64. References/Own: 6/2;

Type of Publication: experimental; Language of Abstract: eng.

Blanchemaison, P. Intérêt de la contention dans la prise en charge des thromboses veineuses profondes de membres inférieurs.

Phlebologie 2000; 53: 111 - 112. References/Own: 13/2;

Type of Publication: Opinion; Language of Abstract: fre/eng.

Brorson, J. M., Svenson, H. La liposuction combinada con terapia de compresion controlada reduce el linfedema de brazo mas efectivamente que la terapia aislada de compresion controlada.

Patologia Vascul. 2000; 6: 153 - 165. References/Own: 21/0;

Type of Publication: experimental; Language of Abstract: Span/eng.

Burke, D. T. Prevention of deep venous thrombosis: overview of available therapy options for rehabilitation patients.

Am. J. Phys. Med. Rehabil. 2000; 79: S3 - S8. References/Own: 23/0;

Type of Publication: Overview; Language of Abstract: eng.

Ferrara, F., Bernbach H.R. Controle des resultats de la sclerotherapie compressive de la crosse sapheno-femorale.

Phlebologie2000 2000; 53: 351 - 353. References/Own: 8/2;
Type of Publication: experimental; Language of Abstract: fre/eng.

Foldi, E., Sauerwald, A., Hennig, B. Effect of complex decongestive physiotherapy on gene expression for the inflammatory response in peripheral lymphedema.
Lymphology 2000; 33: 19 - 23. References/Own: 12/1;
Type of Publication: experimental; Language of Abstract: eng.

Gupta, A. K., Koven, J.D., Lester, R., Shear, N.H., Sauder, D.N. Open-label study to evaluate the healing rate and safety of the Profore extra four-layer bandage system in patients with venous leg ulceration.
J. Cutan. Med. Surg. 2000; 4: 8 - 11. References/Own: 11/0;
Type of Publication: experimental; Language of Abstract: eng.

Lazareth, I. Varices primitives des membres inférieurs.
Rev. Prat. 2000; 50: 1189 - 1193. References/Own: 25/0;
Type of Publication: Overview; Language of Abstract: fre/eng.

Maxwell, G. L., Myers, E.R., Clarke-Pearson, D.L. Cost-effectiveness of deep venous thrombosis prophylaxis in gynecologic oncology surgery.
Obstet. Gynecol. 2000; 95: 206 - 214. References/Own: 82/6;
Type of Publication: Overview; Language of Abstract: eng.

Mollard, J. M., Lance, G., Cornu-Thenard, A. [Support and compression of the legs]
Contention et compression des membres inferieurs.
Rev. Prat. 2000; 50: 1208 - 1211. References/Own: 13/1;
Type of Publication: Overview; Language of Abstract: fre.

Muir, K. W., Watt, A., Baxter, G., Grosset, D.G., Lees, K.R. Randomized trial of graded compression stockings for prevention of deep-vein thrombosis after acute stroke.
QJM. 2000; 93: 359 - 364. References/Own: 19/0;
Type of Publication: experimental; Language of Abstract: eng.

Partsch, H. Compression déambulation dans la thrombose veineuse profonde.
Phlebologie2000 2000; 53: 453 - 458. References/Own: 30/8;
Type of Publication: experimental; Language of Abstract: fre/eng.

Pereira de Godoy, J. M. M. B. D. F. G. M. Efectos de la terapia compresiva en la esclerosis de venas y telangiectasias.
Patologia Vascular 2000; 6: 147 - 151. References/Own: 15/0;
Type of Publication: experimental; Language of Abstract: Span/eng.

Schonfeld, W. H., Villa, K.F., Fastenau, J.M., Mazonson, P.D., Falanga, V. An economic assessment of Apligraf (Graftskin) for the treatment of hard-to-heal venous leg ulcers.
Wound. Repair Regen. 2000; 8: 251 - 257. References/Own: 12/1;
Type of Publication: Opinion; Language of Abstract: eng.

Venet, C., Berger, C., Tardy, B., Viallon, A., Decousus, H., Bertrand, J.C. [Prevention of venous thromboembolism in polytraumatized patients. Epidemiology and importance]
Prophylaxie de la maladie veineuse thromboembolique chez le patient polytraumatise.
Epidemiologie et interet. Presse Med. 2000; 29: 68 - 75. References/Own: 26/0;
Type of Publication: Overview; Language of Abstract: fre/eng.

Verdolin, M. H., Toth, A.S., Schroeder, R. Bilateral lower extremity compartment syndromes following prolonged surgery in the low lithotomy position with serial compression stockings.
Anesthesiology 2000; 92: 1189 - 1191. References/Own: 16/0;
Type of Publication: Kasuistik; Language of Abstract: eng.

Wu, E. C., Barba, C.A. Current practices in the prophylaxis of venous thromboembolism in bariatric surgery. *Obes. Surg.* 2000; 10: 7 - 13. References/Own: 14/0;
Type of Publication: Survey; Language of Abstract: eng.

No Chapter

Barwell, J., Whyman, M.R., Poskitt, K.R. Venous ulcer healing by four-layer compression bandaging is not influenced by the pattern of venous incompetence. *Br. J. Surg.* 2000; 87: 1114 -

Bennett, G. Selecting compression hosiery. *Nurs. Times* 2000; 96: 13 - 14.

Cullum, N., Nelson, E.A., Fletcher, A.W., Sheldon, T.A. Compression bandages and stockings for venous leg ulcers. *Cochrane Database. Syst. Rev.* 2000; 4: CD000265 -

Dickinson, K., Roberts, I. Medical anti-shock trousers (pneumatic anti-shock garments) for circulatory support in patients with trauma. *Cochrane Database. Syst. Rev.* 2000; 7: CD001856 -

Handoll, H. H., Farrar, M.J., McBirnie, J., Tytherleigh-Strong, G., Awal, K.A., Milne, A.A., Gillespie, W.J. Heparin, low molecular weight heparin and physical methods for preventing deep vein thrombosis and pulmonary embolism following surgery for hip fractures. *Cochrane Database. Syst. Rev.* 2000; 27: CD000305 -

Herouy, Y. Lipodermatosclerosis and compression stockings. *J. Am. Acad. Dermatol.* 2000; 42: 307 - 308.

Jones, J. E., Nelson, E.A. Skin grafting for venous leg ulcers. *Cochrane Database. Syst. Rev.* 2000; 96: CD001737 -

Jull, A. B., Waters, J., Arroll, B. Oral pentoxifylline for treatment of venous leg ulcers. *Cochrane Database. Syst. Rev.* 2000; 53: CD001733 -

Kerstein, M. D., Gahtan, V. Outcomes of venous ulcer care: results of a longitudinal study. *Ostomy. Wound. Manage.* 2000; 46: 22 - 29.

Margolis, D. J., Berlin, J.A., Strom, B.L. Which venous leg ulcers will heal with limb compression bandages? *Am. J. Med.* 2000; 109: 15 - 19.

Nelson, E. A., Bell-Syer, S.E., Cullum, N.A. Compression for preventing recurrence of venous ulcers (Cochrane Review). *Cochrane Database. Syst. Rev.* 2000; 4: CD002303 -

Oster, J. A. Control forefoot edema with the Forefoot Compression Sleeve. *J. Foot Ankle Surg.* 2000; 39: 202 -

Rutherford, R. B., Padberg, F.T., Comerota, A.J., Kistner, R.L., Meissner, M.H., Moneta, G.L. Venous severity scoring: An adjunct to venous outcome assessment. *J. Vasc. Surg.* 2000; 31: 1307 - 1312.

Vella, A., Carlson, L.A., Blier, B., Felty, C., Kuiper, J.D., Rooke, T.W. Circulator boot therapy alters the natural history of ischemic limb ulceration. *Vasc. Med.* 2000; 5: 21 - 25.

Young, G. L., Jewell, D. Interventions for varicosities and leg oedema in pregnancy.
Cochrane. Database. Syst. Rev. 2000; 70: CD001066 –

Zheng, Z. C., Yost, W.F. Conceptual design of a combined device for normothermia and venous compression.
Med. Eng Phys. 2000; 22: 235 - 239.

